

Processing Molds & Plastic Products



PLASTIC INJECTION
MOULDING MACHINE 1



PLASTIC INJECTION
MOULDING MACHINE 2



CNC MACHINE 1



CNC MACHINE 2



CUSTOM MOLD 1



CUSTOM MOLD 2



CUSTOM MOLD 3



sales@hoathinhvn.net
hoathinhcty@yahoo.com.vn

Production year: 2022

HOA THINH TRADING - SERVICE - PRODUCTION COMPANY LIMITED



HOA THINH CO., LTD



King Kong



Today's quality is
tomorrow's reputation



CATALOGUE

www.lihhan.com
www.hoathinhvn.net
www.hoathinhvn.com




HOA THINH TRADING - SERVICE - PRODUCTION COMPANY LIMITED

HOA THINH CO., LTD

GENERAL INTRODUCTION

- 首先讓我們衷心多謝各位客戶一直以來擁護和信任和盛 塑膠 產品。
- 和盛 塑膠廠成立於1986年,專生產各類室內裝置的保護電路設備系統,電線路安全所有配件,包括排電線硬管,軟管,藏牆盒,(膠盒-鐵盒)各類名貴,路廊燈飾,樓梯燈飾,線路安全,美觀,實用。
- 本廠引進世界名廠塑膠料如PVC, PS, HI, ABS, AS, PE, PC, PBT, PP ….
- 本著顧客滿意,卓越創造的宗旨,持續高效提升技術,質量與服務的競爭力,所以我們引進了外國先進的技術和設備以新工藝來製造各種不同的產品,確保向客戶提供百份百優質產品,顧客至上為主,以質量方針不斷開擴國內市場。
- 我們的品質政策：
『品質優良,卓越創造,
顧客滿意,我們榮耀。』



Hoa Thinh Plastic is a quality-driven custom manufacturer specializing in injection molding and assembly with high accuracy precision. We services customers across the Asia Pacific region providing electrical accessories, materials handling, residential, commercial and industrial product solutions and applications to various end user and consumer markets.

- Our Experience is over 35 years in mold design & mold building expertise positively drives the success of critical, close-tolerance molding programs for global leaders in the electronics, cutting-edge plastic stationery products and other high-performance industries.

- Hoa Thinh Plastics is well equipped to provide customers with global leveraged manufacturing, service and technical support to ensure a full-service outcome. By delivering world best practice in plastics manufacturing and product solutions, customers are provided the very highest standards of quality and performance.

- Our ISO 9001:2015 certified quality system and advanced inspection protocols ensure the strictest of customer specifications are met.


- We are proud to provide great products and services at fair prices while striving for innovation, quality, and superior customer service.

Table of Contents



| | Page |
|---|------|
| General Introduction | 1 |
| Table of Contents | 2 |
| Rigid Conduit - Flexible Conduit | 3 |
| Trunking conduit | 4 |
| Industrial trunking - Slotted trunking | 5 |
| Floor cable ducting - PVC Corner cable cover | 6 |
| Adaptable box - Decorative light | 7 |
| Electrical enclosure - Electricity meter box | 8 |
| CB Box | 10 |
| Recessed mounting box | 12 |
| Recessed mounting box - Surface mount box | 13 |
| Metal back box - Desk Organizer - Coin | 14 |
| Other accessories | 15 |
| Dashboard | 17 |
| Electrical conduit fittings and accessories | 18 |
| Socket & plug | 21 |
| Electrical fish tape - Cable tie - Bending spring | 23 |
| Plastic cable gland - Aluminium din rail | 24 |
| Black electrical insulation tape - Electrical tape - Adhesive tape - Transparent tape | 25 |
| Quality Assurance Management | 26 |
| Medals | 29 |
| Major projects | 30 |



RIGID CONDUIT




| RIGID CONDUIT | DESCRIPTION | THICKNESS (mm) | CODE | PACKAGE (pcs/bundle) | PRICE (VND) |
|--|-----------------------|----------------|----------|----------------------|-------------|
|  <p>Function: Protect cable and wiring for both power and communications application.</p> | Rigid conduit Ø 16 | 1,3 | LH 8016 | 50 | 23.730 |
| | Rigid conduit Ø 20 | 1,9 | LH 8020 | 50 | 33.950 |
| | Rigid conduit Ø 25 | 2 | LH 8025 | 25 | 48.410 |
| | Rigid conduit Ø 32 | 2,2 | LH 8032 | 25 | 67.890 |
| | Rigid conduit Ø 16 DB | 1,3 | LH 8016S | 50 | 30.340 |
| | Rigid conduit Ø 20 DB | 1,9 | LH 8020S | 50 | 39.730 |
| | Rigid conduit Ø 25 DB | 2 | LH 8025S | 25 | 57.910 |
| | Rigid conduit Ø 32 DB | 2,2 | LH 8032S | 25 | 81.800 |
| | Rigid conduit Ø 40 DB | 2,6 | LH 8040S | 20 | 130.300 |

FLEXIBLE CONDUIT

| FLEXIBLE CONDUIT | DESCRIPTION | CODE | PACKAGE (m/roll) | PRICE (VND) | |
|--|--|-----------|------------------|-------------|--|
|  | Flexible conduit Ø 16 DB | HT 9016S | 50 | 160.550 | |
| | Flexible conduit Ø 20 DB | HT 9020S | 50 | 209.090 | |
| | Flexible conduit Ø 25 DB | HT 9025S | 50 | 286.100 | |
| | Flexible conduit Ø 32 DB | HT 9032S | 25 | 254.120 | |
| | Flexible conduit Ø 16 L1 | HT 9016 | 50 | 146.120 | |
| | Flexible conduit Ø 20 L1 | HT 9020 | 50 | 178.440 | |
| | Flexible conduit Ø 25 L1 | HT 9025 | 50 | 243.880 | |
| | Flexible conduit Ø 32 L1 | HT 9032 | 25 | 238.580 | |
| | Flexible conduit Ø 16 L2 | HT 9016/2 | 50 | 113.020 | |
| | Flexible conduit Ø 20 L2 | HT 9020/2 | 50 | 145.050 | |
| | Flexible conduit Ø 25 L2 | HT 9025/2 | 50 | 225.060 | |
| | Flexible conduit Ø 32 L2 | HT 9032/2 | 25 | 216.320 | |
| | Flexible drain pipe Ø 20  | HTT01 | 50 | 237.500 | |
| | Function: Typically used in cable installations where flexibility is required to make connections. | | | | |

* The price does not include VAT 10%.

TRUNKING CONDUIT

| TRUNKING CONDUIT | DESCRIPTION | CODE | DIMENSION (mm) | THICKNESS (mm) | PACKAGE (pcs/bundle) | PRICE (VND) |
|--|------------------------------|----------|----------------|----------------|----------------------|-------------|
|  <p>Function: Used to conceal and protect electrical wiring.</p> | Trunking conduit 1.5F 1m7 | NV 1/7 | 15 x 10 | 0,8 | 100 | 9.250 |
| | Trunking conduit 1.5F 1m8 | NV 1/8 | 15 x 10 | 0,8 | 100 | 9.700 |
| | Trunking conduit 1.5F 1m9 | NV 1/9 | 15 x 10 | 0,8 | 100 | 10.390 |
| | Trunking conduit 1.7F 1m7 | | 17 x 10 | 0,9 | 100 | 8.820 |
| | Trunking conduit 2F 1m7 (L1) | NV 2/7 | 20 x 10 | 1 | 100 | 12.410 |
| | Trunking conduit 2F 1m8 (L1) | NV 2/8 | 20 x 10 | 1 | 100 | 13.200 |
| | Trunking conduit 2F 1m9 (L1) | NV 2/9 | 20 x 10 | 1 | 100 | 14.000 |
| | Trunking conduit 2F 1m7 (L2) | NVT 2/7 | 20 x 10 | 1 | 100 | 11.770 |
| | Trunking conduit 2F 1m8 (L2) | NVT 2/8 | 20 x 10 | 1 | 100 | 12.520 |
| | Trunking conduit 2F 1m9 (L2) | NVT 2/9 | 20 x 10 | 1 | 100 | 12.980 |
| | Trunking conduit 2.3F 1m7 | | 23 x 10 | 1,2 | 50 | 15.610 |
| | Trunking conduit 2.5F 1m7 | NV 2.5/7 | 25 x 15 | 1,2 | 50 | 18.570 |
| | Trunking conduit 2.5F 1m8 | NV 2.5/8 | 25 x 15 | 1,2 | 50 | 19.570 |
| | Trunking conduit 2.5F 1m9 | NV 2.5/9 | 25 x 15 | 1,2 | 50 | 20.200 |
| | Trunking conduit 3F 1m7 | NV 3/7 | 30 x 18 | 1,1 | 50 | 23.360 |
| | Trunking conduit 3F 1m8 | NV 3/8 | 30 x 18 | 1,1 | 50 | 24.910 |
| | Trunking conduit 3F 1m9 | NV 3/9 | 30 x 18 | 1,1 | 50 | 26.200 |
| | Trunking conduit 4F 1m7 | NV 4/7 | 40 x 20 | 1,2 | 25 | 33.860 |
| | Trunking conduit 4F 1m8 | NV 4/8 | 40 x 20 | 1,5 | 25 | 35.910 |
| | Trunking conduit 4F 1m9 | NV 4/9 | 40 x 20 | 1,5 | 25 | 37.770 |
| Trunking conduit 5F 1m8 | NV 5/8 | 50 x 35 | 1,5 | 20 | 77.140 | |
| Trunking conduit 5F 1m9 | NV 5/9 | 50 x 35 | 1,5 | 20 | 80.550 | |
| Trunking conduit 6F 1m8 | NV 6/8 | 60 x 40 | 1,6 | 10 | 104.570 | |
| Trunking conduit 6F 1m9 | NV 6/9 | 60 x 40 | 1,6 | 10 | 107.680 | |
| Trunking conduit 8F 2m(40) | NV 084 | 80 x 40 | 1,7 | 10 | 139.360 | |
| Trunking conduit 8F 2m(60) | NV 086 | 80 x 60 | 1,7 | 10 | 155.520 | |
| Trunking conduit 10F 2m(40)  | NV 014 | 100 x 40 | 1,8 | 10 | 168.250 | |
| Trunking conduit 10F 2m(60)  | NV 016 | 100 x 60 | 2,1 | 10 | 224.750 | |





INDUSTRIAL TRUNKING - SLOTTED TRUNKING *The price does not include VAT 10%.

| SLOTTED TRUNKING (With holes) | DESCRIPTION | CODE | THICKNESS (LID-BASE) | DIMENSION | PACKAGE (pcs/box) | PRICE (VND) |
|--|--|---------------------------|----------------------|-----------|-------------------|-------------|
| PRO GREY  | Slotted trunking 25 x 25 | ET 022 | 1,7 - 2 | 2.5F 1m7 | 45 | 53.210 |
| | Slotted trunking 25 x 45 | ET 024 | 1,5 - 1,9 | 2.5F 1m7 | 30 | 69.730 |
| | Slotted trunking 35 x 35 | ET 033 | 1,9 - 2,1 | 3.5F 1m7 | 30 | 72.740 |
| | Slotted trunking 35 x 45 | ET 034 | 1,8 - 2,5 | 3.5F 1m7 | 20 | 80.700 |
| | Slotted trunking 45 x 45 | ET 044 | 1,6 - 2,6 | 4.5F 1m7 | 20 | 92.690 |
| | Slotted trunking 45 x 65 | ET 046 | 1,7 - 2 | 4.5F 1m7 | 20 | 109.890 |
| | Slotted trunking 65 x 65 | ET 066 | 1,3 - 2 | 6.5F 1m7 | 12 | 134.960 |
| | Slotted trunking 85 x 85 | ET 088 | 2,7 - 2,2 | 8.5F 1m7 | 12 | 186.530 |
| | Slotted trunking 105 x 105 | ET 105 | 2,5 - 2,8 | 10.5F 1m7 | 6 | 255.560 |
| | Slotted trunking 125 x 125 | ET 125 | 3,2 - 3,5 | 12.5F 1m7 | 6 | 317.250 |
| | Slotted trunking 60 x 60 | ET 060 | 1,5 - 2 | 6.0F 2m | 12 | 142.500 |
| | PRO WHITE  | Slotted trunking 25 x 45T | ET 024 K | 1,5 - 1,9 | 2.5F 2m | 30 |
| Slotted trunking 35 x 35T | | ET 033 K | 1,9 - 2,1 | 3.5F 2m | 30 | 95.180 |
| Slotted trunking 35 x 45T | | ET 034 K | 1,8 - 2,5 | 3.5F 2m | 20 | 105.150 |
| Slotted trunking 45 x 45T | | ET 044 K | 1,6 - 2,7 | 4.5F 2m | 20 | 120.420 |
| Slotted trunking 45 x 65T | | ET 046 K | 1,7 - 2 | 4.5F 2m | 20 | 143.350 |
| Slotted trunking 60 x 60T | | ET 060 K | 1,5 - 2 | 6.0F 2m | 12 | 142.500 |
| Slotted trunking 65 x 65T | | ET 066 K | 1,4 - 1,8 | 6.5F 2m | 12 | 175.500 |
| Slotted trunking 85 x 85T | | ET 088 K | 2,5 - 2,2 | 8.5F 2m | 12 | 242.340 |

Function: For routing and concealing cables and wires in industrial electricity system: electricity junction box.

FLOOR CABLE DUCTING - PVC CORNER CABLE COVER

| FLOOR CABLE DUCTING | DESCRIPTION | CODE | THICKNESS (LID-BASE) | DIMENSION (mm) | PACKAGE (pcs/bundle) | PRICE (VND) |
|---|---|---------|----------------------|----------------|----------------------|-------------|
|  | Floor cable ducting B1 (1m) | MH 021 | 2 - 2 | 35 x 15 | 20 | 82.310 |
| | Floor cable ducting AA (1m) | MH 011 | 1,8 - 1,3 | 46 x 12 | 10 | 108.630 |
| | Floor cable ducting A1 (1m) | MH 001 | 2,1 - 2,1 | 55 x 18 | 10 | 136.480 |
| | Floor cable ducting A2 (1m) | MH 002 | 2,7 - 2,8 | 68 x 22 | 10 | 169.120 |
| | Floor cable ducting A3 (1m) | MH 003 | 3,1 - 3,3 | 100 x 26 | 06 | 252.630 |
| | Floor cable ducting A4 (1m) | MH 004 | 3,4 - 3,6 | 120 x 28 | 10 | 340.730 |
| | Floor cable ducting B1 (2m) | MH 021X | 2 - 2 | 35 x 15 | 20 | 164.620 |
| | Floor cable ducting AA (2m) | MH 011X | 1,8 - 1,3 | 46 x 12 | 10 | 217.240 |
| | Floor cable ducting A1 (2m) | MH 001X | 2,1 - 2,1 | 55 x 18 | 10 | 272.900 |
| | Function: Deliver improved pedestrian safety in workplace or around the home. | | | | | |

| PVC CORNER CABLE COVER | DESCRIPTION | CODE | DIMENSION (mm) | PACKAGE (pcs/carton) | PRICE (VND) |
|---|------------------------|--------|----------------|----------------------|-------------|
|  | PVC Corner cable cover | KNC 17 | 40 x 20 | 50 | 36.890 |
| Function: Triangular design fits into corner of walls or ceiling to hide and protect cables / wires in the tertiary sector. | | | | | |





ADAPTABLE BOX - DECORATIVE LIGHT

| | | | |
|--|-------------------------------------|--|------------|
| | ADAPTABLE BOX 332 (8 x 8) | LIH 122 | 10.790 VND |
| | L (mm) | 85 | |
| | W (mm) | 85 | |
| | H (mm) | 53 | |
| | Package | 10 pcs/pack | |
| | Function | Enclosing junctions, extending or terminating cable lengths. | |

| | | | |
|--|---|--|------------|
| | ADAPTABLE BOX 3178X (10 x 10) | LIH 124 | 13.810 VND |
| | L (mm) | 102 | |
| | W (mm) | 102 | |
| | H (mm) | 43 | |
| | Package | 10 pcs/pack | |
| | Function | Enclosing junctions, extending or terminating cable lengths. | |

| | | | |
|--|---|--|------------|
| | ADAPTABLE BOX 3178H (12 x 12) | LIH 128 | 16.820 VND |
| | L (mm) | 123 | |
| | W (mm) | 123 | |
| | H (mm) | 46 | |
| | Package | 10 pcs/pack | |
| | Function | Enclosing junctions, extending or terminating cable lengths. | |

| | | | |
|--|---------------------------------------|--|------------|
| | ADAPTABLE BOX 662 (15 x 15) | LIH 129 | 28.460 VND |
| | L (mm) | 151 | |
| | W (mm) | 151 | |
| | H (mm) | 52 | |
| | Package | 10 pcs/pack | |
| | Function | Enclosing junctions, extending or terminating cable lengths. | |

| | | | |
|--|--|--|------------|
| | ADAPTABLE BOX 772 (20 x 20 Regular Size) | LIH 131 | 45.000 VND |
| | L (mm) | 180 | |
| | W (mm) | 180 | |
| | H (mm) | 56 | |
| | Package | 1 pcs/pack | |
| | Function | Enclosing junctions, extending or terminating cable lengths. | |

| | | | |
|--|--|--|------------|
| | ADAPTABLE BOX 773 (20 x 20 tall) | LIH 130 | 60.000 VND |
| | L (mm) | 185 | |
| | W (mm) | 185 | |
| | H (mm) | 80 | |
| | Package | 1 pcs/pack | |
| | Function | Enclosing junctions, extending or terminating cable lengths. | |

| DELI LIGHT (Watertight) | DESCRIPTION | CODE | DIMENSION (mm) | FUNCTION | PACKAGE (pcs/box) | PRICE (VND) |
|--------------------------------|----------------------------------|-------|----------------|---|-------------------|-------------|
| | Plastic grid bulkhead Deli light | GB 01 | 170x124x107 | Specialized for outdoor, sauna, storehouse, stair ... | 1 | 340.730 |
| | Metal grid bulkhead Deli light | GB 02 | | | | 361.590 |

| | | | |
|--|--------------------------------|---|-------------|
| | LOTUS LAMP (Large size) | DS 02 | 431.820 VND |
| | L (mm) | 10 | |
| | W (mm) | 10 | |
| | H (mm) | 16,5 | |
| | Package | 2 pcs/box | |
| | Function | Can be used as a Buddha Hall lamp, altar decoration, temple decoration. | |

| | | | |
|--|--------------------------------|---|-------------|
| | LOTUS LAMP (Small size) | DS 01 | 363.640 VND |
| | L (mm) | 10 | |
| | W (mm) | 10 | |
| | H (mm) | 13 | |
| | Package | 2 pcs/box | |
| | Function | Can be used as a Buddha Hall lamp, altar decoration, temple decoration. | |

* The price does not include VAT 10%.

ELECTRICAL ENCLOSURE

| | | | |
|--|--|---|-------------|
| | PREMIUM ABS PLASTIC ELECTRICAL ENCLOSURE 200 x 200 | CVM 341 | 225.000 VND |
| | L (mm) | 200 | |
| | W (mm) | 200 | |
| | H (mm) | 130 | |
| | Package | 1 pcs/box | |
| | Function | Protect electrical equipment and control equipment for industrial and residential uses. | |

| | | | |
|--|---|---|-------------|
| | PREMIUM ABS PLASTIC ELECTRICAL ENCLOSURE 200 x 200 tall | CVM 341K | 250.000 VND |
| | L (mm) | 200 | |
| | W (mm) | 200 | |
| | H (mm) | 150 | |
| | Package | 1 pcs/box | |
| | Function | Protect electrical equipment and control equipment for industrial and residential uses. | |

| | | | |
|--|--|---|-------------|
| | PREMIUM ABS PLASTIC ELECTRICAL ENCLOSURE 200 x 300 | CVM 342 | 375.000 VND |
| | L (mm) | 200 | |
| | W (mm) | 300 | |
| | H (mm) | 150 | |
| | Package | 1 pcs/box | |
| | Function | Protect electrical equipment and control equipment for industrial and residential uses. | |

| | | | |
|--|--|---|-------------|
| | PREMIUM ABS PLASTIC ELECTRICAL ENCLOSURE 300 x 300 | CVM 364 | 500.000 VND |
| | L (mm) | 300 | |
| | W (mm) | 300 | |
| | H (mm) | 200 | |
| | Package | 1 pcs/box | |
| | Function | Protect electrical equipment and control equipment for industrial and residential uses. | |

| | | | |
|--|---|---|-------------|
| | PREMIUM ABS PLASTIC ELECTRICAL ENCLOSURE 300 x 400 LH | CVM 346 | 780.270 VND |
| | L (mm) | 300 | |
| | W (mm) | 400 | |
| | H (mm) | 200 | |
| | Package | 1 pcs/box | |
| | Function | Protect electrical equipment and control equipment for industrial and residential uses. | |

| | | | |
|--|---|---|-------------|
| | PREMIUM ABS PLASTIC ELECTRICAL ENCLOSURE 300 x 400 HT | CVM 346B | 650.000 VND |
| | L (mm) | 300 | |
| | W (mm) | 400 | |
| | H (mm) | 200 | |
| | Package | 1 pcs/box | |
| | Function | Protect electrical equipment and control equipment for industrial and residential uses. | |

| | | | |
|--|--|---|-------------|
| | PREMIUM ABS PLASTIC ELECTRICAL ENCLOSURE 400 x 400 | CVM 366 | 821.340 VND |
| | L (mm) | 400 | |
| | W (mm) | 400 | |
| | H (mm) | 200 | |
| | Package | 1 pcs/box | |
| | Function | Protect electrical equipment and control equipment for industrial and residential uses. | |

| | | | |
|--|--|---|---------------|
| | PREMIUM ABS PLASTIC ELECTRICAL ENCLOSURE 400 x 500 | CVM 363 | 1.446.930 VND |
| | L (mm) | 400 | |
| | W (mm) | 500 | |
| | H (mm) | 200 | |
| | Package | 1 pcs/box | |
| | Function | Protect electrical equipment and control equipment for industrial and residential uses. | |

| | | | |
|--|---|---|---------------|
| | PREMIUM ABS PLASTIC ELECTRICAL ENCLOSURE 400 x 500 tall | CVM 365 | 1.683.750 VND |
| | L (mm) | 400 | |
| | W (mm) | 500 | |
| | H (mm) | 250 | |
| | Package | 1 pcs/box | |
| | Function | Protect electrical equipment and control equipment for industrial and residential uses. | |

| | | | |
|--|--|---|---------------|
| | PREMIUM ABS PLASTIC ELECTRICAL ENCLOSURE 400 x 600 | CVM 361 | 2.016.390 VND |
| | L (mm) | 400 | |
| | W (mm) | 600 | |
| | H (mm) | 200 | |
| | Package | 1 pcs/box | |
| | Function | Protect electrical equipment and control equipment for industrial and residential uses. | |



**HOA THINH TRADING - SERVICE -
PRODUCTION COMPANY LIMITED
HOA THINH CO., LTD**

**GOLD MEDAL FOR
DECOR LIGHTING**



King Kong



ELECTRICAL ENCLOSURE - ELECTRICITY METER BOX

| | | |
|---|-----------------|---|
| PREMIUM ABS PLASTIC ELECTRICAL ENCLOSURE 400 x 600 glass | CVM 361K | 2.075.250 VND |
|  | L (mm) | 400 |
| | W (mm) | 600 |
| | H (mm) | 200 |
| | Package | 1 pcs/box |
| | Function | Protect electrical equipment and control equipment for industrial and residential uses. |

| | | |
|---|----------------|---|
| PREMIUM ABS PLASTIC ELECTRICAL ENCLOSURE 400 x 600 tall | CVM 362 | 2.250.000 VND |
|  | L (mm) | 400 |
| | W (mm) | 600 |
| | H (mm) | 255 |
| | Package | 1 pcs/box |
| | Function | Protect electrical equipment and control equipment for industrial and residential uses. |

| | | |
|---|-----------------|---|
| PREMIUM ABS PLASTIC ELECTRICAL ENCLOSURE 400 x 600 glass | CVM 362K | 2.325.000 VND |
|  | L (mm) | 400 |
| | W (mm) | 600 |
| | H (mm) | 255 |
| | Package | 1 pcs/box |
| | Function | Protect electrical equipment and control equipment for industrial and residential uses. |

| | | |
|---|---------------|--------------------------------|
| HIGH QUALITY ELECTRICITY METER BOX | TL 630 | 287.290 VND |
|  | L (mm) | 370 |
| | W (mm) | 190 |
| | H (mm) | 165 |
| | Package | 1 pcs/box |
| | Function | Protect the electricity meter. |

* The price does not include VAT 10%.

CB BOX

| | | |
|---|----------------|-------------------|
| CB SKY | CVM 319 | 26.620 VND |
|  | L (mm) | 120 |
| | W (mm) | 54 |
| | H (mm) | 56 |
| | Package | 20 pcs/carton |
| | Function | Use for black CB. |

| | | |
|---|----------------|-------------------|
| CB KOREA | CVM 320 | 28.750 VND |
|  | L (mm) | 120 |
| | W (mm) | 65 |
| | H (mm) | 70 |
| | Package | 20 pcs/carton |
| | Function | Use for MCB 2F. |


| | | |
|---|----------------|---------------------------------|
| CB KOREA Z | CVM 318 | 39.280 VND |
|  | L (mm) | 121 |
| | W (mm) | 85 |
| | H (mm) | 60 |
| | Package | 20 pcs/carton |
| | Function | Use for anti-electric shock CB. |

| | | |
|---|----------------|--------------------------|
| CB KOREA B2B | CVM 334 | 42.590 VND |
|  | L (mm) | 135 |
| | W (mm) | 102 |
| | H (mm) | 75 |
| | Package | 20 pcs/carton |
| | Function | Use for black CB 2F, 3F. |

| | | |
|--|----------------|----------------------|
| CB KOREA MAX | CVM 333 | 46.130 VND |
|  | L (mm) | 137 |
| | W (mm) | 97 |
| | H (mm) | 73 |
| | Package | 20 pcs/carton |
| | Function | Use for MCB 3F & 4F. |

| | | |
|--|----------------|--|
| CB KOREA MCCB | CVM 335 | 60.200 VND |
|  | L (mm) | 192 |
| | W (mm) | 112 |
| | H (mm) | 92 |
| | Package | 10 pcs/carton |
| | Function | Use for MCCB, for white CB (black) 2F, 3F. |

| | | |
|---|----------------|-------------------|
| 1F CB BOX (Fasten) | ASB 111 | 22.230 VND |
|  | L (mm) | 130 |
| | W (mm) | 45 |
| | H (mm) | 70 |
| | Package | 60 pcs/carton |
| | Function | Din rail for MCB. |

| | | |
|---|----------------|-------------------|
| 2F CB BOX (Din rail) | ASB 111 | 22.230 VND |
|  | L (mm) | 130 |
| | W (mm) | 45 |
| | H (mm) | 70 |
| | Package | 60 pcs/carton |
| | Function | Din rail for MCB. |

| | | |
|---|----------------|-------------------|
| 1F CB BOX (Din Rail Screw) | ASB 666 | 18.920 VND |
|  | L (mm) | 130 |
| | W (mm) | 45 |
| | H (mm) | 70 |
| | Package | 60 pcs/carton |
| | Function | Din rail for MCB. |

| | | |
|---|----------------|-------------------|
| 2F CB BOX (Din Rail Screw) | ASB 666 | 18.920 VND |
|  | L (mm) | 130 |
| | W (mm) | 45 |
| | H (mm) | 70 |
| | Package | 60 pcs/carton |
| | Function | Din rail for MCB. |





CB BOX

| | | |
|---|----------------|------------------|
| KING CB BOX | CVM 322 | 5.250 VND |
|  | L (mm) | 100 |
| | W (mm) | 42 |
| | H (mm) | 40 |
| | Package | 10 pcs/pack |
| | Function | Use for CB. |

| | | |
|---|----------------|------------------|
| QUEEN CB BOX | CVM 321 | 7.500 VND |
|  | L (mm) | 120 |
| | W (mm) | 50 |
| | H (mm) | 40 |
| | Package | 10 pcs/pack |
| | Function | Use for CB. |

| | | |
|---|----------------|---------------------------|
| 2F SURFACE MOUNT CB BOX | CVM 326 | 17.990 VND |
|  | L (mm) | 145 |
| | W (mm) | 50 |
| | H (mm) | 60 |
| | Package | 100 pcs/sack bag |
| | Function | Use for black CB (block). |


| | | |
|---|----------------|---------------------------|
| 3F SURFACE MOUNT CB BOX | CVM 327 | 32.500 VND |
|  | L (mm) | 160 |
| | W (mm) | 87 |
| | H (mm) | 80 |
| | Package | 60 pcs/sack bag |
| | Function | Use for black CB (block). |

| | | |
|--|----------------|-----------------------|
| CB BOX (CR₂) | CVM 323 | 21.030 VND |
|  | L (mm) | 128 |
| | W (mm) | 65 |
| | H (mm) | 70 |
| | Package | 100 pcs/sack bag |
| | Function | Plastic rail for MCB. |

| | | |
|--|----------------|-----------------------|
| CB BOX (CR₃) | CVM 324 | 21.030 VND |
|  | L (mm) | 128 |
| | W (mm) | 65 |
| | H (mm) | 70 |
| | Package | 100 pcs/sack bag |
| | Function | Plastic rail for MCB. |

| | | |
|---|----------------|-------------------|
| TITI 333 CB BOX (1F) | CVM 325 | 21.620 VND |
|  | L (mm) | 120 |
| | W (mm) | 55 |
| | H (mm) | 65 |
| | Package | 20 pcs/carton |
| | Function | Use for MCB. |

| | | |
|---|----------------|-------------------|
| TITI 333 CB BOX (2F) | CVM 325 | 21.620 VND |
|  | L (mm) | 120 |
| | W (mm) | 55 |
| | H (mm) | 65 |
| | Package | 20 pcs/carton |
| | Function | Use for MCB. |


| | | |
|---|----------------|--------------------|
| WEATHERPROOF JUNCTION ZA CB BOX | CVM 337 | 64.230 VND |
|  | L (mm) | 150 |
| | W (mm) | 94 |
| | H (mm) | 97 |
| | Package | 10 pcs/paper bag |
| | Function | Use for contactor. |


| | | |
|---|----------------|--------------------|
| ZA CB BOX (WITH SEAL HOLE) | CVM 336 | 64.230 VND |
|  | L (mm) | 150 |
| | W (mm) | 94 |
| | H (mm) | 97 |
| | Package | 10 pcs/paper bag |
| | Function | Use for contactor. |




* The price does not include VAT 10%.

RECESSED MOUNTING BOX

| | | |
|---|----------------|-------------------------------|
| HALL 167 RECESSED MOUNTING BOX | ASB 624 | 5.410 VND |
|  | L (mm) | 104 |
| | W (mm) | 63 |
| | H (mm) | 38 |
| | Package | 10 pcs/pack |
| | Function | Use for all kinds of surface. |


| | | |
|---|----------------|--|
| PVC FIREPROOF RECESSED MOUNTING BOX | ASB 157 | 9.500 VND |
|  | L (mm) | 105 |
| | W (mm) | 60 |
| | H (mm) | 38 |
| | Package | 10 pcs/pack |
| | Function | Recessed mount, fireproof for all kinds of surface and switch. |


| | | |
|---|----------------|--|
| Z88 DOUBLE GANG RECESSED MOUNTING BOX | ASB 640 | 8.800 VND |
|  | L (mm) | 125 |
| | W (mm) | 102 |
| | H (mm) | 35 |
| | Package | 10 pcs/pack |
| | Function | Used for 2 single-sided surface, (chengri, national, sino...), two gang divided. |


| | | |
|---|-----------------|---|
| DOUBLE GANG RECESSED MOUNTING BOX Z88 (2) | ASB 640B | 10.240 VND |
|  | L (mm) | 121 |
| | W (mm) | 101 |
| | H (mm) | 31 |
| | Package | 10 pcs/pack |
| | Function | 2 gang (double gang) wall plates (chengri, national, sino...) |

| | | |
|--|-----------------|-------------------------|
| HK SINGLE RECESSED MOUNTING BOX | ASB 645A | 6.350 VND |
|  | L (mm) | 86 |
| | W (mm) | 86 |
| | H (mm) | 43 |
| | Package | 10 pcs/pack |
| | Function | Use for square surface. |

| | | |
|--|----------------|-------------------------------|
| TISLY DOUBLE RECESSED MOUNTING BOX | ASB 626 | 8.800 VND |
|  | L (mm) | 115 |
| | W (mm) | 105 |
| | H (mm) | 40 |
| | Package | 30 pcs/paper bag |
| | Function | Use for all kinds of surface. |

| | | |
|---|----------------|-------------------------|
| T6 66 DIN RAIL RECESSED MOUNTING BOX | ASB 629 | 12.810 VND |
|  | L (mm) | 110 |
| | W (mm) | 66 |
| | H (mm) | 60 |
| | Package | 128 pcs/carton |
| | Function | Recessed mount for MCB. |

| | | |
|---|--------------|---------------------------|
| BLANK WALL PLATE | MD 01 | 3.000 VND |
|  | L (mm) | 100 |
| | W (mm) | 63 |
| | H (mm) | 03 |
| | Package | 600 pcs/paper bag |
| | Function | Cover unused accessories. |

| | | |
|---|----------------|--------------------------------|
| ROUND WIRING BOX | VIC 824 | 8.070 VND |
|  | L (mm) | 85 |
| | W (mm) | 85 |
| | H (mm) | 35 |
| | Package | 10 pcs/pack |
| | Function | For Splitting or joining wire. |

| | | |
|---|----------------|--------------------------------|
| WIRING BOX (4 HOLE) | VIC 826 | 11.090 VND |
|  | L (mm) | 90 |
| | W (mm) | 90 |
| | H (mm) | 35 |
| | Package | 10 pcs/pack |
| | Function | For Splitting or joining wire. |



RECESSED MOUNTING BOX - SURFACE MOUNT BOX

| CIRCLE RECESSED MOUNTING BOX | DESCRIPTION | CODE | DIMENSION (mm) | FUNCTION | PACKAGE (pcs/pack) | PRICE (VND) |
|------------------------------|-----------------------------------|---------|----------------|--|--------------------|-------------|
| | Circle recessed mounting box Ø 60 | VIC 821 | 77 x 50 | Suitable for ceiling/ wall lighting support Downlight. | 10 | 5.150 |
| | Circle recessed mounting box Ø 80 | VIC 822 | 88 x 50 | | 10 | 5.320 |
| | Circle recessed mounting box Ø 90 | VIC 823 | 97 x 58 | | 10 | 5.500 |

| BB SLIM SURFACE MOUNT BOX | ASB 638A | 7.140 VND |
|---------------------------|----------|------------------------------|
| | L (mm) | 112 |
| | W (mm) | 77 |
| | H (mm) | 25 |
| | Package | 70 pcs/paper bag |
| | Function | Use for low chengli surface. |

| SURFACE MOUNT BOX 237 (clipsal) | ASB 633 | 8.950 VND |
|---------------------------------|----------|--------------------------|
| | L (mm) | 115 |
| | W (mm) | 75 |
| | H (mm) | 35 |
| | Package | 50 pcs/paper bag |
| | Function | Use for clipsal surface. |

| CK 238 SURFACE MOUNT BOX (chengli) | ASB 635 | 8.690 VND |
|------------------------------------|----------|--------------------------|
| | L (mm) | 120 |
| | W (mm) | 75 |
| | H (mm) | 35 |
| | Package | 50 pcs/paper bag |
| | Function | Use for chengli surface. |

| SERIAL 90 SURFACE MOUNT BOX | ASB 646B | 9.000 VND |
|-----------------------------|----------|----------------------------------|
| | L (mm) | 120 |
| | W (mm) | 70 |
| | H (mm) | 32 |
| | Package | 50 pcs/paper bag |
| | Function | Use for sino, panasonic surface. |

| PANA SQUARE SURFACE MOUNT BOX | ASB 646C | 10.680 VND |
|-------------------------------|----------|--|
| | L (mm) | 120 |
| | W (mm) | 70 |
| | H (mm) | 31 |
| | Package | 50 pcs/paper bag |
| | Function | Use for Panasonic - Sino - CB surface. |

| SURFACE MOUNT BOX (GLE) | ASB 647 | 11.520 VND |
|-------------------------|----------|----------------------|
| | L (mm) | 115 |
| | W (mm) | 71 |
| | H (mm) | 34 |
| | Package | 50 pcs/paper bag |
| | Function | Use for GLE surface. |

| HK SINGLE SURFACE MOUNT BOX | ASB 642 | 6.670 VND |
|-----------------------------|----------|----------------------------|
| | L (mm) | 85 |
| | W (mm) | 85 |
| | H (mm) | 30 |
| | Package | 10 pcs/pack |
| | Function | Use for HK single surface. |

| HK DOUBLE SURFACE MOUNT BOX | ASB 643 | 17.780 VND |
|-----------------------------|----------|------------------------------|
| | L (mm) | 145 |
| | W (mm) | 85 |
| | H (mm) | 30 |
| | Package | 40 pcs/paper bag |
| | Function | Use for HK, chengli surface. |

* The price does not include VAT 10%. **METAL BACK BOX - DESK ORGANIZER - COIN**


| METAL BACK BOX 157 | YHK 221 | 16.180 VND |
|--------------------|----------|--|
| | L (mm) | 100 |
| | W (mm) | 50 |
| | H (mm) | 35 |
| | Package | 120 pcs/carton |
| | Function | Recessed mount for all kinds of surface. |

| METAL BACK BOX P663 | YHK 223 | 38.200 VND |
|---------------------|----------|---|
| | L (mm) | 130 |
| | W (mm) | 75 |
| | H (mm) | 35 |
| | Package | 100 pcs/carton |
| | Function | Recessed mount for rectangular surface. |

| SQUARE METAL BACK BOX B666 | YHK 222 | 20.940 VND |
|----------------------------|----------|--|
| | L (mm) | 70 |
| | W (mm) | 70 |
| | H (mm) | 35 |
| | Package | 100 pcs/carton |
| | Function | Recessed mount for the square surface. |


DESK ORGANIZER - COIN

| DESK ORGANIZER - COIN | DESCRIPTION | CODE | PACKAGE (pcs/pack) | PRICE (VND) |
|-----------------------|---|--------|--------------------|-------------|
| | 12 zodiac signs desk organizer and fortune cat | PLT 01 | 1 | 157.500 |
| | Gold coin | PLT 02 | 10 | 14.440 |
| | Jade coin | PLT 03 | 10 | 11.810 |
| | Desk organizer base | PLT 04 | 1 | 19.690 |
| | Function: Popular decorations, Feng shui coin for good luck. Hang them in doorway, in your car, on plants, in office, in the altar... | | | |





OTHER ACCESSORIES

| | | |
|---|--|------------|
| SLIM LAMP SHADE Ø 210 | LGT 102 | 20.710 VND |
|  | Package | |
| | 25 pcs/carton | |
| | Function: Increase brightness, durable, protect bulb, suitable outdoor and indoor use. | |


| | | |
|---|--|------------|
| SLIM LAMP SHADE Ø 310 | LGT 101 | 48.500 VND |
|  | Package | |
| | 25 pcs/carton | |
| | Function: Increase brightness, durable, protect bulb, suitable outdoor and indoor use. | |

| | | |
|---|--|------------|
| PREMIUM PP PLASTIC LAMP SHADE Ø 210 | LGT 202 | 23.250 VND |
|  | Package | |
| | 25 pcs/carton | |
| | Function: Increase brightness, durable, protect bulb, suitable outdoor and indoor use. | |


| | | |
|---|--|------------|
| PREMIUM PP PLASTIC LAMP SHADE Ø 310 | LGT 201 | 55.840 VND |
|  | Package | |
| | 25 pcs/carton | |
| | Function: Increase brightness, durable, protect bulb, suitable outdoor and indoor use. | |


| | | |
|--|--|------------|
| EURO LAMP SHADE | LGT 301 | 70.400 VND |
|  | Package | |
| | 10 pcs/carton | |
| | Function: Increase brightness, durable, protect bulb, suitable outdoor and indoor use. | |

| | | |
|--|--|-----------|
| PC LAMP HOLDER | DT 27 | 9.560 VND |
|  | Package | |
| | 25 pcs/box | |
| | Function: E27, suitable for indoor / outdoor lighting. | |

| | | |
|---|---|------------|
| WATERPROOF LAMP HOLDER | DX 27 | 12.290 VND |
|  | Package | |
| | 30 pcs/box | |
| | Function: Waterproof E27, suitable for indoor / outdoor lighting. | |

| | | |
|---|--|------------|
| WATERPROOF LAMP HOLDER | DTB 27 | 10.750 VND |
|  | Package | |
| | 10 pcs/pack | |
| | Function: Suitable for indoor / outdoor. Professionally use for dragon fruit farm. | |


| | | |
|---|--|------------|
| AJUSTABLE LAMP HOLDER | DNX 27 | 15.000 VND |
|  | Package | |
| | 12 pcs/box | |
| | Function: Adjust light direction easily (rotate, straighten, E27). | |


| | | |
|---|--|------------|
| ADJUSTABLE DOUBLE 2 IN 1 LAMP HOLDER | DND 27 | 32.500 VND |
|  | Package | |
| | 6 pcs/box | |
| | Function: Adjust light direction easily (rotate, straighten, E27). | |


* The price does not include VAT 10%.

OTHER ACCESSORIES


| | | |
|---|---|------------|
| CORDLINE SWITCH | CT 801 | 12.290 VND |
|  | Package | |
| | 20 pcs/box | |
| | Function: Built-in Red LED light helps control the input / output of equipment. | |

| | | |
|---|----------|--|
| ELECTRICITY DASHBOARD | TL 620 | 75.580 VND |
|  | L (mm) | 300 |
| | W (mm) | 200 |
| | H (mm) | 35 |
| | Package | 20 pcs/sack bag |
| | Function | Installation of electricity meter and circuit breaker. |


| | | |
|---|---|------------|
| 4 OUTLET POWERBOARD | FC 731 | 81.900 VND |
|  | Package | |
| | 1 pcs/pack | |
| | Function: Built-in LED lights for safety and convenience. | |

| | | |
|---|---|-------------|
| 5 OUTLET POWERBOARD | FC 732 | 102.380 VND |
|  | Package | |
| | 1 pcs/pack | |
| | Function: Built-in LED lights for safety and convenience. | |


| | | |
|--|--|------------|
| LIHHAO SOCKET | FC 721 | 42.380 VND |
| LIHHAO PLUG | FC 722 | 34.430 VND |
|  | Packed in 10 pcs/box | |
| | Function: Heavy duty tools specialized for equipment larger than 500W. | |

| | | |
|--|--|-----------|
| ABS MALE PLUG | FC 710 | 7.110 VND |
|  | Package | |
| | 100 pcs/pack | |
| | Function: Good electrical conductivity, anti-breakage, high impact resistance, ultimate heat resistance. | |

| | | |
|---|--|------------|
| MULTI-FUNCTION PLUG | FB 621 | 22.840 VND |
|  | Package | |
| | 20 pcs/box | |
| | Function: Travel adapter. Colour: white / black. | |

| | | |
|---|---|------------|
| FEMALE POWER PLUG | FC 711 | 11.960 VND |
|  | Package | |
| | 100 pcs/pack | |
| | Function: Good electrical conductivity, high heat resistance. | |


| | | |
|---|--|------------|
| ANTI-ELECTRIC SHOCK PLUG | FC 730 | 18.460 VND |
|  | Package | |
| | 10 pcs/box | |
| | Function: Anti-electric shock, keeping kids safe around electricity. | |

| | | |
|---|--|-------------|
| AUTOMATIC WATER LEVEL CONTROLLER | PHO 1 | 162.500 VND |
|  | Package | |
| | 10 pcs/paper bag | |
| | Function: Manage water levels on system like water tank, pumps and swimming pools. Anti-Overflow and Anti-Dry. | |





DASHBOARD

* The price does not include VAT 10%.


| DASHBOARD | DESCRIPTION | CODE | FUNCTION | PACKAGE (pcs/pack) | PRICE (VND) |
|---|-------------------|---------|----------------|--------------------|-------------|
|  | Dashboard 8 x 16 | TL 8016 | | 10 | 4.750 |
| | Dashboard 8 x 20 | TL 8020 | | 10 | 6.250 |
| | Dashboard 11 x 18 | TL 1118 | | 10 | 7.250 |
| | Dashboard 13 x 18 | TL 1318 | Install CB | 10 | 8.340 |
| | Dashboard 16 x 16 | TL 1616 | socket | 10 | 9.740 |
| | Dashboard 16 x 20 | TL 1620 | fuse | 10 | 10.180 |
| | Dashboard 16 x 25 | TL 1625 | switch ... | 10 | 10.180 |
| | Dashboard 16 x 25 | TL 1625 | electrical | 10 | 13.860 |
| | Dashboard 20 x 20 | TL 2020 | control system | 10 | 16.990 |
| | Dashboard 20 x 25 | TL 2025 | | 10 | 18.340 |
| Dashboard 20 x 30 | TL 2030 | | 10 | 22.080 | |
| Dashboard 25 x 35 | TL 2535 | | 10 | 36.090 | |
| Dashboard 30 x 40 | TL 3040 | | 10 | 65.780 | |

ELECTRICAL CONDUIT FITTINGS AND ACCESSORIES

| PLAIN COUPLING | DESCRIPTION | CODE | FUNCTION | PACKAGE (pcs/pack) | PRICE (VND) |
|---|---------------------|--------|----------------------------|--------------------|-------------|
|  | Plain coupling Ø 16 | NTS 16 | Connect PVC conduit. | 100 | 990 |
| | Plain coupling Ø 20 | NTS 20 | | 100 | 1.460 |
| | Plain coupling Ø 25 | NTS 25 | | 50 | 2.110 |
| | Plain coupling Ø 32 | NTS 32 | | 50 | 3.190 |
| | Plain coupling Ø 40 | NTS 40 | | 20 | 10.300 |

| SCREW COUPLING | DESCRIPTION | CODE | FUNCTION | PACKAGE (pcs/pack) | PRICE (VND) |
|---|---------------------|--------|---|--------------------|-------------|
|  | Screw coupling Ø 16 | NRS 16 | Attach PVC pipe to electrical box | 100 | 2.110 |
| | Screw coupling Ø 20 | NRS 20 | | 100 | 2.220 |
| | Screw coupling Ø 25 | NRS 25 | | 50 | 3.010 |
| | Screw coupling Ø 32 | NRS 32 | | 50 | 5.410 |

| REDUCING COUPLING | DESCRIPTION | CODE | FUNCTION | PACKAGE (pcs/pack) | PRICE (VND) |
|---|--|---------|---------------------------------------|--------------------|-------------|
|  | Conduit coupling reducer Ø 20 to Ø 16 | BT 2016 | Reducer from PVC pipe Ø 20 to Ø 16 | 100 | 1.230 |
| | Conduit coupling reducer Ø 25 to Ø 20 | BT 2520 | Reducer from PVC pipe Ø 25 to Ø 20 | 100 | 1.780 |
| | Conduit coupling reducer Ø 32 to Ø 25 | BT 3225 | Reducer from PVC pipe Ø 32 to Ø 25 | 50 | 3.830 |

| CONDUIT ELBOW (PLAIN / SCREW) | DESCRIPTION | CODE | FUNCTION | PACKAGE (pcs/pack) | PRICE (VND) |
|---|-------------------------------|--------|--|--------------------|-------------|
|  | Inspection elbow (screw) Ø 16 | LAB 16 | 90° angle solid elbow to join PVC conduit. | 50 | 6.230 |
| | Inspection elbow (screw) Ø 20 | LAB 20 | | 50 | 6.990 |
| | Inspection elbow (screw) Ø 25 | LAB 25 | | 25 | 12.290 |
| | Inspection elbow (screw) Ø 32 | LAB 32 | | 20 | 14.070 |
| | Conduit elbow Ø 16 | LAT 16 | 50 | 1.730 | |
| | Conduit elbow Ø 20 | LAT 20 | 50 | 2.810 | |
| | Conduit elbow Ø 25 | LAT 25 | 50 | 3.950 | |
| | Conduit elbow Ø 32 | LAT 32 | 25 | 6.230 | |
| | Conduit elbow Ø 40 | LAT 40 | 20 | 14.070 | |





ELECTRICAL CONDUIT FITTINGS AND ACCESSORIES

| CONDUIT TEE (PLAIN/SCREW) | DESCRIPTION | CODE | FUNCTION | PACKAGE (pcs/package) | PRICE (VND) |
|---------------------------|-----------------------------|--------|--------------------------------|-----------------------|-------------|
| | Inspection tee (screw Ø 16) | TAB 16 | Split / join PVC conduit | 50 | 8.340 |
| | Inspection tee (screw Ø 20) | TAB 20 | | 25 | 9.750 |
| | Inspection tee (screw Ø 25) | TAB 25 | | 20 | 12.230 |
| | Inspection tee (screw Ø 32) | TAB 32 | | 10 | 14.070 |
| | Conduit tee Ø 16 | TAT 16 | | 50 | 1.990 |
| | Conduit tee Ø 20 | TAT 20 | | 50 | 3.950 |
| | Conduit tee Ø 25 | TAT 25 | | 50 | 6.000 |
| | Conduit tee Ø 32 | TAT 32 | | 25 | 9.000 |
| | Conduit tee Ø 40 | TAT 40 | | 10 | 15.910 |

| CONDUIT CLIP | DESCRIPTION | CODE | FUNCTION | PACKAGE (pcs/package) | PRICE (VND) |
|--------------|-------------------|--------|--------------------------------------|-----------------------|-------------|
| | Conduit Clip Ø 16 | KS 016 | Secure and hold PVC conduit in place | 100 | 950 |
| | Conduit Clip Ø 20 | KS 020 | | 100 | 1.380 |
| | Conduit Clip Ø 25 | KS 025 | | 100 | 2.050 |
| | Conduit Clip Ø 32 | KS 032 | | 100 | 3.100 |
| | Conduit Clip Ø 40 | KS 040 | | 25 | 4.420 |

* The price does not include VAT 10%. **ELECTRICAL CONDUIT FITTINGS AND ACCESSORIES**


| CONDUIT JUNCTION BOX | DESCRIPTION | CODE | FUNCTION | PACKAGE (pcs/package) | PRICE (VND) |
|----------------------|-------------------------|----------|---|-----------------------|-------------|
| | 1-Way Junction Box Ø 16 | LV 7116 | Connect and change direction of conduit runs (1W16, 1W20, 1W25) | 10 | 8.480 |
| | 1-Way Junction Box Ø 20 | LV 7120 | | 10 | 8.950 |
| | 1-Way Junction Box Ø 25 | LV 7125 | | 10 | 9.390 |
| | 2-Way Through Box Ø 16 | LV 7216T | Connect and change direction of conduit runs (2T16, 2T20, 2T25) | 10 | 8.660 |
| | 2-Way Through Box Ø 20 | LV 7220T | | 10 | 9.100 |
| | 2-Way Through Box Ø 25 | LV 7225T | | 10 | 9.540 |
| | 2-Way Angled Box Ø 16 | LV 7216N | Connect and change direction of conduit runs (2V16, 2V20, 2V25) | 10 | 8.660 |
| | 2-Way Angled Box Ø 20 | LV 7220N | | 10 | 9.100 |
| | 2-Way Angled Box Ø 25 | LV 7225N | | 10 | 9.540 |
| | 3-Way Tee Box Ø 16 | LV 7316 | Connect and change direction of conduit runs (3W16, 3W20, 3W25) | 10 | 8.660 |
| | 3-Way Tee Box Ø 20 | LV 7320 | | 10 | 9.100 |
| | 3-Way Tee Box Ø 25 | LV 7325 | | 10 | 9.540 |
| | 4-Way Cross Box Ø 16 | LV 7416 | Connect and change direction of conduit runs (4W16, 4W20, 4W25) | 10 | 8.800 |
| | 4-Way Cross Box Ø 20 | LV 7420 | | 10 | 9.390 |
| 4-Way Cross Box Ø 25 | LV 7425 | 10 | | 9.710 | |


| FLEXIBLE CONDUIT JUNCTION BOX | DESCRIPTION | CODE | FUNCTION | PACKAGE (pcs/package) | PRICE (VND) |
|-------------------------------|---|--------|--|-----------------------|-------------|
| | <i>New</i> Junction box for flexible conduit to flexible conduit Ø 16 | NRG 16 | Connect flexible conduit to flexible conduit Ø 16, Ø 20, Ø 25 | 20 | 9.100 |
| | Junction box for flexible conduit to flexible conduit Ø 20 | NRG 20 | | 20 | 13.510 |
| | Junction box for flexible conduit to flexible conduit Ø 25 | NRG 25 | | 20 | 19.390 |
| | Junction box for flexible conduit to rigid conduit PVC Ø 16 | NGO 16 | Connect rigid conduit PVC to flexible conduit Ø 16, Ø 20, Ø 25 | 20 | 9.100 |
| | Junction box for flexible conduit to rigid conduit PVC Ø 20 | NGO 20 | | 20 | 13.510 |
| | Junction box for flexible conduit to rigid conduit PVC Ø 25 | NGO 25 | | 20 | 19.390 |







SOCKET & PLUG

| PLUG | DESCRIPTION | CODE | FUNCTION | PACKAGE (pcs/box) | PRICE (VND) |
|---|------------------------|-------|----------------------------------|-------------------|-------------|
|  | Industrial plug 3F 16A | P 316 | For up to 16A, 32A applications. | 10 | 33.750 |
| | Industrial plug 3F 32A | P 332 | | 10 | 78.030 |
| | Industrial plug 4F 16A | P 416 | | 10 | 60.360 |
| | Industrial plug 4F 32A | P 432 | | 10 | 79.550 |
| | Industrial plug 5F 16A | P 516 | | 10 | 88.320 |
| | Industrial plug 5F 32A | P 532 | | 10 | 108.930 |

| PORTABLE SOCKET | DESCRIPTION | CODE | FUNCTION | PACKAGE (pcs/box) | PRICE (VND) |
|---|------------------------|--------|----------------------------------|-------------------|-------------|
|  | Portable socket 3F 16A | DD 316 | For up to 16A, 32A applications. | 10 | 42.500 |
| | Portable socket 3F 32A | DD 332 | | 10 | 83.910 |
| | Portable socket 4F 16A | DD 416 | | 10 | 70.650 |
| | Portable socket 4F 32A | DD 432 | | 10 | 94.200 |
| | Portable socket 5F 16A | DD 516 | | 10 | 94.200 |
| | Portable socket 5F 32A | DD 532 | | 10 | 114.810 |


| FIXED SOCKET | DESCRIPTION | CODE | FUNCTION | PACKAGE (pcs/box) | PRICE (VND) |
|--|---------------------|--------|----------------------------------|-------------------|-------------|
|  | Fixed socket 3F 16A | CD 316 | For up to 16A, 32A applications. | 10 | 66.240 |
| | Fixed socket 3F 32A | CD 332 | | 10 | 85.380 |
| | Fixed socket 4F 16A | CD 416 | | 10 | 79.500 |
| | Fixed socket 4F 32A | CD 432 | | 10 | 94.200 |
| | Fixed socket 5F 16A | CD 516 | | 10 | 94.200 |
| | Fixed socket 5F 32A | CD 532 | | 10 | 114.810 |


| INDUSTRIAL RECESSED MOUNTING SOCKET | DESCRIPTION | CODE | FUNCTION | PACKAGE (pcs/box) | PRICE (VND) |
|---|--|--------|--|-------------------|-------------|
|  | Industrial recessed mounting socket 3F 16A | AM 316 | Use for wall-mounted, floor-mounted and industrial junction box-mounted. | 20 | 51.540 |
| | Industrial recessed mounting socket 3F 32A | AM 332 | | 10 | 75.090 |
| | Industrial recessed mounting socket 4F 16A | AM 416 | | 20 | 75.090 |
| | Industrial recessed mounting socket 4F 32A | AM 432 | | 10 | 83.910 |



* The price does not include VAT 10%.

SOCKET & PLUG

| EXTENSION PLUG IP44 | DESCRIPTION | CODE | FUNCTION | PACKAGE (pcs/box) | PRICE (VND) |
|---|----------------------------|---------|---|-------------------|-------------|
|  | Extension plug IP44 3F 16A | PCN 316 | For up to 16A, applications, dustproof. | 10 | 91.260 |
| | Extension plug IP44 4F 16A | PCN 416 | | 10 | 126.600 |

| EXTENSION SOCKET IP44 | DESCRIPTION | CODE | FUNCTION | PACKAGE (pcs/box) | PRICE (VND) |
|---|------------------------------|---------|---|-------------------|-------------|
|  | Extension socket IP44 3F 16A | DCN 316 | For up to 16A, applications, dustproof. | 10 | 114.810 |
| | Extension socket IP44 4F 16A | DCN 416 | | 10 | 135.420 |

| WATERPROOF PLUG IP67 3F 16A | CODE | PRICE (VND) |
|---|------------|-------------|
|  | PKN 316 | 117.750 VND |
| | Package | |
| | 10 pcs/box | |
| Function: High current connectors for up to 16A applications, waterproof, weatherproof. | | |

| WATERPROOF PORTABLE SOCKET IP67 3F 16A | CODE | PRICE (VND) |
|---|------------|-------------|
|  | DKN 316 | 135.420 VND |
| | Package | |
| | 10 pcs/box | |
| Function: High current connectors for up to 16A applications, waterproof, weatherproof. | | |

| WATERPROOF WALL MOUNT SCREW SOCKET IP67 3F 16A | CODE | PRICE (VND) |
|---|------------|-------------|
|  | OKN 316 | 147.730 VND |
| | Package | |
| | 10 pcs/box | |
| Function: High current connectors for up to 16A applications, waterproof, weatherproof. | | |

| WATERPROOF RECESSED MOUNTING SOCKET IP67 3F 16A | CODE | PRICE (VND) |
|---|------------|-------------|
|  | CDK 316 | 128.610 VND |
| | Package | |
| | 10 pcs/box | |
| Function: Recessed mounting, waterproof, weatherproof. | | |


| 2-WAY | CODE | PRICE (VND) |
|---|-----------|-------------|
|  | CH 02 | 222.000 VND |
| | Package | |
| | 5 pcs/box | |
| Function: 2-Way Splitter | | |


| 3-WAY (3F 16A) | CODE | PRICE (VND) |
|---|-----------|-------------|
|  | CH 03 | 225.180 VND |
| | Package | |
| | 5 pcs/box | |
| Function: 3-Way Splitter | | |




ELECTRICAL FISH TAPE - CABLE TIE - BENDING SPRING

| | | | | | |
|---|-----------------------------|--------------------|---|---|--------------------|
| 3-WAY (4F 16A) | CH 34F | 385.860 VND | 3-WAY IP67 (3F 16A) | PC 316 | 511.360 VND |
|  | Package | |  | Package | |
| | 5 pcs/box | | | 4 pcs/box | |
| | Function: 3-Way Splitter | | | Function: 3-Way Splitter, WATERPROOF 3-WAY IP67 (3F 16A), weatherproof. | |


| ELECTRICAL FISH TAPE | DESCRIPTION | CODE | FUNCTION | PACKAGE (wire/pack) | PRICE (VND) |
|---|----------------------------------|-------------|--|----------------------------|--------------------|
|  | Electrical fish tape Ø 4mm (5m) | DMS 05 | Guides all types of cable through hard access areas. | 1 | 44.530 |
| | Electrical fish tape Ø 4mm (10m) | DMS 10 | | 1 | 64.930 |
| | Electrical fish tape Ø 4mm (15m) | DMS 15 | | 1 | 82.130 |
| | Electrical fish tape Ø 4mm (20m) | DMS 20 | | 1 | 99.350 |
| | Electrical fish tape Ø 5mm (25m) | DMS 25 | | 1 | 121.880 |
| | Electrical fish tape Ø 6mm (30m) | DMS 30 | | 1 | 180.180 |


| CABLE TIE | DESCRIPTION | CODE | FUNCTION | PACKAGE (pcs/pack) | PRICE (VND) |
|--|--------------------|-------------|---|---------------------------|--------------------|
|  | Cable Tie 3 x 100 | R 310 | For hold electrical cables or wires together. | 88-90 | 5.610 |
| | Cable Tie 4 x 150 | R 415 | | 88-90 | 10.470 |
| | Cable Tie 4 x 200 | R 420 | | 88-90 | 13.380 |
| | Cable Tie 5 x 250 | R 525 | | 88-90 | 24.270 |
| | Cable Tie 5 x 300 | R 530 | | 88-90 | 31.560 |
| | Cable Tie 8 x 300 | R 830 | | 88-90 | 55.830 |
| | Cable Tie 8 x 350 | R 835 | | 88-90 | 60.690 |
| | Cable Tie 8 x 400 | R 840 | | 88-90 | 67.980 |
| | Cable Tie 10 x 500 | R 105 | | 88-90 | 133.530 |
| | Cable Tie 10 x 600 | R 106 | | 88-90 | 201.480 |

| BENDING SPRING | DESCRIPTION | CODE | PRICE (VND) |
|---|--|-------------|--------------------|
|  | Bending Spring Ø 16 | LX 16 | 45.000 |
| | Bending Spring Ø 20 | LX 20 | 62.500 |
| | Bending Spring Ø 25 | LX 25 | 90.000 |
| | Bending Spring Ø 32 | LX 32 | 130.000 |
| 10 pcs/bundle | Function: To bend electrical conduit to specific angles. | | |

* The price does not include VAT 10%.

PLASTIC CABLE GLAND - ALUMINIUM DIN RAIL

| PLASTIC CABLE GLAND | DESCRIPTION | CODE | FUNCTION | PACKAGE (pcs/pack) | PRICE (VND) |
|---|--------------------------|-------------|---|---------------------------|--------------------|
|  | Plastic cable gland 7 | PG 7 | A sealing device which acts to ensure the protection of enclosures on electrical equipment. | 100 | 1.650 |
| | Plastic cable gland 9 | PG 9 | | 100 | 2.280 |
| | Plastic cable gland 11 | PG 11 | | 100 | 2.680 |
| | Plastic cable gland 13.5 | PG 13.5 | | 100 | 3.130 |
| | Plastic cable gland 16 | PG 16 | | 100 | 4.150 |
| | Plastic cable gland 19 | PG 19 | | 100 | 4.630 |
| | Plastic cable gland 21 | PG 21 | | 50 | 6.100 |
| | Plastic cable gland 25 | PG 25 | | 50 | 6.650 |
| | Plastic cable gland 29 | PG 29 | | 30 | 10.150 |
| | Plastic cable gland 36 | PG 36 | | 20 | 16.850 |
| | Plastic cable gland 42 | PG 42 | | 20 | 22.380 |
| | Plastic cable gland 48 | PG 48 | | 10 | 24.680 |
| | Plastic cable gland 63 | PG 63 | | 05 | 46.480 |

| ALUMINIUM DIN RAIL | DESCRIPTION | CODE | DIMENSION (mm) | FUNCTION | PACKAGE (pcs/carton) | PRICE (VND) |
|--|--------------------|-------------|-----------------------|--|-----------------------------|--------------------|
|  | Aluminium Din Rail | RN 01 | 35 x 1 | Widely used for mounting circuit breakers. | 100 | 43.180 |





**HOA THINH TRADING - SERVICE -
PRODUCTION COMPANY LIMITED
HOA THINH CO., LTD**

**GOLD AWARD FOR
HIGH QUALITY
PRODUCTS**



King Kong



BLACK ELECTRICAL INSULATION TAPE - ELECTRICAL TAPE - ADHESIVE TAPE - TRANSPARENT TAPE



| DESCRIPTION | CODE | FUNCTION | PACKAGE (roll/pcs) | PRICE (VND) |
|---|------|---|--------------------|-------------|
| Electrical tape 20Y | BKE | It acts as an excellent insulator, protecting components, circuitry and people. | 10 | 123.750 |
| Transparent tape 5P | BKT | | 06 | 171.280 |
| Adhesive tape 5P | BKD | | 06 | 171.280 |
| Black electrical insulation tape 1P2 BKX 01 | | | 20 | 545.250 |
| Black electrical insulation tape 2P4 BKX 02 | | | 10 | 545.250 |



* The price does not include VAT 10%.

QUALITY ASSURANCE MANAGEMENT

TRUNG TÂM KỸ THUẬT TIÊU CHUẨN ĐO LƯỜNG CHẤT LƯỢNG 3
QUALITY ASSURANCE & TESTING CENTER 3

PHIẾU KẾT QUẢ THỬ NGHIỆM TEST REPORT

13/04/2021
Trang 01/02

PHIẾU KẾT QUẢ THỬ NGHIỆM TEST REPORT

1. Tên mẫu : ỐNG LƯƠN DÂY ĐIỆN 01m của HIỆU LIHAN

2. Số lượng mẫu : 81 (3 ống x 1 ống)

3. Mô tả mẫu : Ống lượn dây điện PVC 01m (216 mm x 280 mm) hiệu LIHAN.

4. Ngày nhận mẫu : 11/03/2021

5. Thời gian thử nghiệm : 01/04/2021 - 12/04/2021

6. Nơi gửi mẫu : CÔNG TY TNHH THƯƠNG MẠI - SX - DỊCH VỤ HÓA THINH 44 Đường 1A, P. Sơn Trĩ Đông B, Bình Tân, TP. Hồ Chí Minh

7. Phương pháp thử : BS EN 61084-2-1:2004 + A11:2010 Cable training and ducting systems Part 2-1: Particular requirements - Rigid conductors systems

8. Kết quả thử nghiệm : Xem trang 02/02

P. TRƯỞNG PİN ĐIỆN
Nguyễn Mạnh

T. GIÁM ĐỐC THỬ NGHIỆM
Nguyễn Văn Tùng

TRUNG TÂM KỸ THUẬT TIÊU CHUẨN ĐO LƯỜNG CHẤT LƯỢNG 3
QUALITY ASSURANCE & TESTING CENTER 3

PHIẾU KẾT QUẢ THỬ NGHIỆM TEST REPORT

13/04/2021
Trang 02/02

PHIẾU KẾT QUẢ THỬ NGHIỆM TEST REPORT

BS EN 61084-2-1:2004 + A11:2010

| Điểm | Yêu cầu - Thử nghiệm | Kết quả - Ghi chú | Hiệu suất |
|------|---|--|-----------|
| 9 | Kích thước: • Đường kính ngoài • Đường kính trong • Chiều dày | mm 16,0 13,1 1,5 | - |
| 10.1 | Thử nghiệm với lực | Loại trung bình (250 N) | Đạt |
| | • Độ bền ứng suất kéo, % | 13,0 | Đạt |
| | • Độ bền ứng suất kéo đứt, % | 1,6 | Đạt |
| 10.5 | Thử nghiệm: • Thử nghiệm thử nghiệm | Chỉ số độ trượt: 5 °C với vận tốc trượt 1 kg với độ trượt 100 mm | - |
| | • Tính trạng mẫu sau khi thử | Mẫu không hư hỏng | Đạt |
| 10.4 | Thử nghiệm | Mẫu không hư hỏng | Đạt |
| 10.4 | Thử nghiệm | Mẫu không hư hỏng | Đạt |
| 11.1 | Độ bền điện và điện trở cách điện: • Thử nghiệm áp 2000 V trong 15 min • Điện trở cách điện ở (23 ± 2) °C | Chịu được MΩ > 1.000 | Đạt |
| 12 | Kiểm nghiệm theo nhiệt độ: • Kiểm tra thử nghiệm | Thử nghiệm 1 lần ở (60 ± 2) °C trong 24 h | - |
| | • Tính trạng mẫu sau khi thử | Mẫu không hư hỏng | Đạt |
| 13 | Khả năng chịu cháy | Mẫu thử nghiệm trong 10 s | Đạt |

Ghi chú:
Đạt : Kết quả thử nghiệm yêu cầu.
Không đạt : Kết quả thử nghiệm không đạt yêu cầu.
N/A : Không áp dụng cho mẫu thử.
(-) : Thông tin bổ sung, không phải yêu cầu nhận xét.

TRUNG TÂM KỸ THUẬT TIÊU CHUẨN ĐO LƯỜNG CHẤT LƯỢNG 3
QUALITY ASSURANCE & TESTING CENTER 3

PHIẾU KẾT QUẢ THỬ NGHIỆM TEST REPORT

06/03/2019
Trang 01/02

PHIẾU KẾT QUẢ THỬ NGHIỆM TEST REPORT

1. Tên mẫu : NẸP SẢN HIỆU LIHAN

2. Số lượng mẫu : 01 (3 x 1,5 m)

3. Mô tả mẫu : Nẹp sản lượn dây điện PVC 46 mm x 12 mm, hiệu LIHAN

4. Ngày nhận mẫu : 25/02/2019

5. Thời gian thử nghiệm : 26/02/2019 - 06/03/2019

6. Nơi gửi mẫu : CÔNG TY TNHH THƯƠNG MẠI - SX - DỊCH VỤ HÓA THINH 44 Đường 1A, Bình Trĩ Đông B, Bình Tân, TP. Hồ Chí Minh

7. Phương pháp thử : IEC 61084-2-1:1996 Part 2-1: Particular requirements - Cable training and ducting systems Intended for mounting on walls or ceilings

8. Kết quả thử nghiệm : Xem trang 02/02

P. TRƯỞNG PİN ĐIỆN
Nguyễn Mạnh

T. GIÁM ĐỐC THỬ NGHIỆM
Nguyễn Văn Tùng

TRUNG TÂM KỸ THUẬT TIÊU CHUẨN ĐO LƯỜNG CHẤT LƯỢNG 3
QUALITY ASSURANCE & TESTING CENTER 3

PHIẾU KẾT QUẢ THỬ NGHIỆM TEST REPORT

06/03/2019
Trang 02/02

PHIẾU KẾT QUẢ THỬ NGHIỆM TEST REPORT

IEC 61084-2-1:1996

| Điểm | Yêu cầu - Thử nghiệm | Kết quả - Ghi chú | Hiệu suất |
|------|--|--|-----------|
| 8 | Kích thước ngoài: • Chiều dày • Chiều rộng Kích thước trong: • Chiều dày • Chiều rộng | mm 22,7 49,0 mm 7,4 23,3 | - |
| 10.1 | Thử nghiệm: • Thử nghiệm theo hướng thẳng đứng • Độ bền ứng suất 2 h, mm • Độ bền ứng suất với tải trọng cao cao mẫu, % • Tính trạng mẫu sau khi thử | 0,1 0,8 Mẫu không hư hỏng | Đạt |
| | • Thử nghiệm theo hướng nằm ngang • Độ bền ứng suất 2 h, mm • Độ bền ứng suất với tải trọng cao cao mẫu, % • Tính trạng mẫu sau khi thử | 0,2 0,6 Mẫu không hư hỏng | Đạt |
| 10.3 | Thử nghiệm (Nhiệt độ thử: 5 °C với vận tốc trượt 1 kg với độ trượt 100 mm) | Mẫu không hư hỏng | Đạt |
| 10.4 | Thử nghiệm | Mẫu thử nghiệm sau khi tách khỏi người thử | Đạt |
| 10.5 | Thử nghiệm | Mẫu thử nghiệm sau khi tách khỏi người thử | Đạt |
| 12.1 | Độ bền điện và điện trở cách điện: • Thử nghiệm áp 2000 V trong 1 min • Điện trở cách điện ở (20 - 30) °C trong 48 h | Chịu được MΩ > 1.000 | Đạt |

Ghi chú:
Đạt : Kết quả thử nghiệm yêu cầu.
Không đạt : Kết quả thử nghiệm không đạt yêu cầu.
N/A : Không áp dụng cho mẫu thử.
(-) : Thông tin bổ sung, không phải yêu cầu nhận xét.



QUALITY ASSURANCE MANAGEMENT

PHIẾU KẾT QUẢ THỬ NGHIỆM TEST REPORT KTS-1526AD002

PHIẾU KẾT QUẢ THỬ NGHIỆM TEST REPORT KTS-1526AD002



QUALITY ASSURANCE MANAGEMENT

PHIẾU KẾT QUẢ THỬ NGHIỆM TEST REPORT KTS-1235AD004

PHIẾU KẾT QUẢ THỬ NGHIỆM TEST REPORT KTS-1235AD004

PHIẾU KẾT QUẢ THỬ NGHIỆM TEST REPORT KTS-4902AD001

PHIẾU KẾT QUẢ THỬ NGHIỆM TEST REPORT KTS-4902AD001

PHIẾU KẾT QUẢ THỬ NGHIỆM TEST REPORT KTS-4906AD006

PHIẾU KẾT QUẢ THỬ NGHIỆM TEST REPORT KTS-4906AD006



HOA THINH TRADING - SERVICE - PRODUCTION COMPANY LIMITED
HOA THINH CO., LTD



King Kong



MEDALS



MAJOR PROJECTS



Children's Hospital 2 HCMC



COOP MART Supermarket Chain



**Bach Dang Hotel Complex
Hilton Da Nang**



**Cat Bi International Airport
Port - Hai Phong**



Lotte Center - Hanoi



Saigon - Paragon



Sheraton Saigon Hotel



Danang City Administration Center



**Vinhomes Central
Park-Land Mark 81 floors**



Bitexco Financial Tower - HCMC